

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD40 Purified Azide Free, Clone: [HI40a], Monoclonal EXB-10-416-C025

Article Name Anti-Hu CD40 Purified Azide Free, Clone: [HI40a], Monoclonal Biozol Catalog Number EXB-10-416-C025 Supplier Catalog Number 10-416-C025 Alternative Catalog Number EXB-10-416-C025 Manufacturer EXBIO Category Antikörper Application FC Species Reactivity Human Immunogen Human CD40a CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and its		
Supplier Catalog Number 10-416-C025 Alternative Catalog Number EXB-10-416-C025 Manufacturer EXBIO Category Antikörper Application FC Species Reactivity Human Immunogen Human CD40a CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Article Name	Anti-Hu CD40 Purified Azide Free, Clone: [HI40a], Monoclonal
Alternative Catalog Number EXB-10-416-C025 Manufacturer EXBIO Category Antikörper Application FC Species Reactivity Human Immunogen Human CD40a CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Biozol Catalog Number	EXB-10-416-C025
Manufacturer EXBIO Category Antikörper Application FC Species Reactivity Human Immunogen Human CD40a CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Supplier Catalog Number	10-416-C025
Category Antikörper Application FC Species Reactivity Human Immunogen Human CD40a CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Alternative Catalog Number	EXB-10-416-C025
Application FC Species Reactivity Human Immunogen Human CD40a CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Manufacturer	EXBIO
Species Reactivity Human Human CD40a CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Category	Antikörper
Immunogen CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Application	FC
CD40 is a costimulatory molecule of the TNF receptor superfamily and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Species Reactivity	Human
and is expressed on many cell types, such as B cells, Product Description monocytes/macrophages, dendritic cells, endothelial cells, fibroblasts or vascular smooth muscle cells. Interaction of CD40 and	Immunogen	Human CD40a
	Product Description	and is expressed on many cell types, such as B cells, monocytes/macrophages, dendritic cells, endothelial cells,
Clonality Monoclonal	Clonality	Monoclonal
Concentration 1 mg/ml	Concentration	1 mg/ml
Clone Designation [HI40a]	Clone Designation	[HI40a]
Isotype IgG1	Isotype	lgG1
Buffer Phosphate buffered saline (PBS), pH 7.4	Buffer	Phosphate buffered saline (PBS), pH 7.4
Storage 2°C to 8°C	Storage	2°C to 8°C

Antibody Type	Monoclonal Antibody
Application Notes	Flow cytometry: The purified antibody is effective for indirect immunofluorescence staining of human cells by flow cytometry analysis using 1 μ g/ml.