

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Cytokeratin 5/8 Purified, Clone: [C-50], Monoclonal EXB-11-101-C025

Article Name Anti-Cytokeratin 5/8 Purified, Clone: [C-50], Monoclonal Biozol Catalog Number EXB-11-101-C025 Supplier Catalog Number 11-101-C025 Alternative Catalog Number EXB-11-101-C025 Manufacturer EXBIO Category Antikörper Application WB, IP, IHC-P, ICC Species Reactivity Hamster, Sheep, Mouse, Bovine, Porcine, Human, Canine, Rat Immunogen Cytoskeleton preparation from HeLa cells. Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide Storage 2°C to 8°C		
Supplier Catalog Number 11-101-C025 Alternative Catalog Number EXB-11-101-C025 Manufacturer EXBIO Category Antikörper Application WB, IP, IHC-P, ICC Species Reactivity Hamster, Sheep, Mouse, Bovine, Porcine, Human, Canine, Rat Immunogen Cytoskeleton preparation from HeLa cells. Cytoskeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Article Name	Anti-Cytokeratin 5/8 Purified, Clone: [C-50], Monoclonal
Alternative Catalog Number EXB-11-101-C025 Manufacturer EXBIO Category Antikörper Application WB, IP, IHC-P, ICC Species Reactivity Hamster, Sheep, Mouse, Bovine, Porcine, Human, Canine, Rat Immunogen Cytoskeleton preparation from HeLa cells. Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Biozol Catalog Number	EXB-11-101-C025
Manufacturer EXBIO Category Antikörper Application WB, IP, IHC-P, ICC Species Reactivity Hamster, Sheep, Mouse, Bovine, Porcine, Human, Canine, Rat Immunogen Cytoskeleton preparation from HeLa cells. Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Supplier Catalog Number	11-101-C025
Category Antikörper Application WB, IP, IHC-P, ICC Species Reactivity Hamster, Sheep, Mouse, Bovine, Porcine, Human, Canine, Rat Immunogen Cytoskeleton preparation from HeLa cells. Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Alternative Catalog Number	EXB-11-101-C025
Application WB, IP, IHC-P, ICC Species Reactivity Hamster, Sheep, Mouse, Bovine, Porcine, Human, Canine, Rat Immunogen Cytoskeleton preparation from HeLa cells. Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Manufacturer	EXBIO
Species Reactivity Hamster, Sheep, Mouse, Bovine, Porcine, Human, Canine, Rat Cytoskeleton preparation from HeLa cells. Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Category	Antikörper
Immunogen Cytoskeleton preparation from HeLa cells. Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Application	WB, IP, IHC-P, ICC
Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Species Reactivity	Hamster, Sheep, Mouse, Bovine, Porcine, Human, Canine, Rat
Characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Immunogen	Cytoskeleton preparation from HeLa cells.
Concentration 1 mg/ml Clone Designation [C-50] Isotype IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Product Description	characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The
Clone Designation [C-50] Isotype IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Clonality	Monoclonal
Isotype IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Concentration	1 mg/ml
Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Clone Designation	[C-50]
	Isotype	lgG1
Storage 2°C to 8°C	Buffer	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
	Storage	2°C to 8°C

Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (paraffin sections): Recommended dilution: 10 μg/ml, positive control: human prostate.