

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-LAT Purified, Clone: [LAT-01], Monoclonal EXB-11-360-C025

Article Name A	Anti-LAT Purified, Clone: [LAT-01], Monoclonal
Biozol Catalog Number E	EXB-11-360-C025
Supplier Catalog Number 1	11-360-C025
Alternative Catalog Number E	EXB-11-360-C025
Manufacturer E	EXBIO
Category	Antikörper
Application V	WB, IP, FC
Species Reactivity H	Human
immunoden	Bacterially produced recombinant polypeptide corresponding to the entire cytoplasmic domain of human LAT.
Product Description p	AT (linker for activation of T cells) is a 36-38 kDa double- calmitoylated transmembrane adaptor protein expressed by T cells, ore-B cells, NK cells, mast cells and platelets. After immunoreceptor criggering, LAT becomes multiply tyrosine-phosphoryla
Clonality	Monoclonal
Concentration 1	L mg/ml
Clone Designation [I	LAT-01]
Isotype Ig	gG1
Buffer P	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage 2	2°C to 8°C

Antibody Type	Monoclonal Antibody
Application Notes	Immunoprecipitation: Tyrosine-phosphorylated form of LAT is not optimally recognized. Flow cytometry: Intracellular staining. Tyrosine-phosphorylated form of LAT is not optimally recognized. Western blotting: Recommended dilution: 1-2 μ g/ml.