

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-alpha/beta-Tubulin dimer Purified, Clone: [TU-10], Monoclonal EXB-11-446-C100

| | |
|----------------------------|---|
| Article Name | Anti-alpha/beta-Tubulin dimer Purified, Clone: [TU-10], Monoclonal |
| Biozol Catalog Number | EXB-11-446-C100 |
| Supplier Catalog Number | 11-446-C100 |
| Alternative Catalog Number | EXB-11-446-C100 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | FC, ICC, WB |
| Species Reactivity | Human, Mouse, Porcine, Primate, Rat |
| Immunogen | Microtubule proteins from porcine brain |
| Product Description | The microtubules are intracellular dynamic polymers made up of evolutionarily conserved polymorphic alpha/beta-tubulin heterodimers and a large number of microtubule-associated proteins (MAPs). The microtubules consist of 13 protofilaments and have a... |
| Clonality | Monoclonal |
| Concentration | 1 mg/ml |
| Clone Designation | [TU-10] |
| Isotype | Mouse IgM |
| Buffer | Tris buffered saline (TBS), pH 8.0, 15 mM sodium azide |
| Storage | 2°C to 8°C |

| | |
|-------------------|---|
| Target | alpha/beta-Tubulin dimer |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Western blotting: Recommended dilution: 1-2 µg/ml, reducing conditions. Flow cytometry: Recommended dilution: 8-12 µg/ml, intracellular staining. |