

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-ZAP70 Purified, Clone: [ZAP-03], Monoclonal EXB-11-488-C025

| | |
|----------------------------|---|
| Article Name | Anti-ZAP70 Purified, Clone: [ZAP-03], Monoclonal |
| Biozol Catalog Number | EXB-11-488-C025 |
| Supplier Catalog Number | 11-488-C025 |
| Alternative Catalog Number | EXB-11-488-C025 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | WB, FC, ICC |
| Species Reactivity | Human |
| Immunogen | Bacterially expressed fusion protein representing C-terminal part (160 amino acids) of human ZAP70 with histidine tag |
| Product Description | The ZAP70 (zeta-associated protein of 70 kDa) tyrosine kinase was identified as a tyrosine phosphoprotein that associates with TCR zeta subunit and undergoes tyrosine phosphorylation following TCR stimulation. ZAP70 is a Syk family tyrosine kinase pr... |
| Clonality | Monoclonal |
| Concentration | 1 mg/ml |
| Clone Designation | [ZAP-03] |
| Isotype | IgG1 |
| Buffer | Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |
| Storage | 2°C to 8°C |

| | |
|-------------------|--|
| Antibody Type | Monoclonal Antibody |
| Application Notes | Flow cytometry: Intracellular staining, recommended dilution: 2-5 µg/ml, positive control: HPB-ALL human peripheral blood T cell leukemia cell line. Western blotting: Recommended dilution: 0,5 µg/ml, positive control: HPB-ALL human peripheral blood T |