

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Transferrin Purified Low Endotoxin, Clone: [HTF-14], Monoclonal EXB-12-258-C100

| | |
|----------------------------|---|
| Article Name | Anti-Transferrin Purified Low Endotoxin, Clone: [HTF-14], Monoclonal |
| Biozol Catalog Number | EXB-12-258-C100 |
| Supplier Catalog Number | 12-258-C100 |
| Alternative Catalog Number | EXB-12-258-C100 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | ELISA, FA, ICC, IHC-P, RIA, WB |
| Species Reactivity | Human, Porcine, Rabbit |
| Immunogen | Purified porcine transferrin. |
| Product Description | Transferrin is a monomeric glycoprotein of approximately 77 kDa, which serves as an iron-transporter. In normal plasma, transferrin has a concentration of 25-50 µmol / liter, and is usually about one-third saturated with iron, thus providing a large ... |
| Clonality | Monoclonal |
| Concentration | 1 mg/ml |
| Clone Designation | [HTF-14] |
| Isotype | Mouse IgG1 |
| Buffer | Phosphate buffered saline (PBS), pH 7.4 |
| Storage | 2°C to 8°C |

| | |
|-------------------|---|
| Target | Transferrin |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Functional application: The antibody HTF-14 blocks binding of transferrin to its receptor. Immunohistochemistry (paraffin sections): Recommended dilution: 10 µg/ml, positive tissue: placenta. Western blotting: non-reducing conditions, recommended dilution: 1-2 µg/ml. |