



Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-HLA-G Biotin, Clone: [4H84], Monoclonal EXB-1B-499-C100

Article Name	Anti-HLA-G Biotin, Clone: [4H84], Monoclonal
Biozol Catalog Number	EXB-1B-499-C100
Supplier Catalog Number	1B-499-C100
Alternative Catalog Number	EXB-1B-499-C100
Manufacturer	EXBIO
Category	Antikörper
Application	ELISA, FC, ICC, IHC-Fr, IHC-P, IP, WB
Species Reactivity	Human
Immunogen	amino acids 61-83 of HLA-G of human origin
Conjugation	Biotin
Product Description	Human leukocyte antigen G (HLA-G), belonging to MHC class I glycoproteins, plays important roles in both physiological and pathological immunotolerance. It gives an inhibitory signal to cytotoxic T cells, NK cells, monocytes, and some other immune ce
Clonality	Monoclonal
Concentration	1 mg/ml
Clone Designation	[4H84]
Isotype	Mouse IgG1
Buffer	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

Storage	2°C to 8°C
Target	HLA-G
Antibody Type	Monoclonal Antibody
Application Notes	Western blotting: Recommended dilution: 1-2 μ g/ml. Flow cytometry: Recommended dilution: 2-5 μ g/ml. Intracellular staining or surface staining after acid treatment (Polakova K. et al. Molecular immunology 1993, 1223-30).