

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Anti-Hu CD47 FITC, Clone: [MEM-122], Monoclonal EXB-1F-225-T100

Anti-Hu CD47 FITC, Clone: [MEM-122], Monoclonal
EXB-1F-225-T100
1F-225-T100
EXB-1F-225-T100
EXBIO
Antikörper
FC
Human, Porcine, Primate
COS-7 (African green monkey) cells
FITC
CD47 (integrin-associated protein, IAP) is an ubiquitously expressed cell surface transmembrane glycoprotein interacting with several integrins and regulating their functions. Engagement of CD47 by soluble ligands or counter receptors modulates vario
Monoclonal
[MEM-122]
Mouse IgM
Stabilizing Tris buffered saline (TBS), pH 8.0, 15 mM sodium azide
2°C to 8°C

Target	CD47
Antibody Type	Monoclonal Antibody
Application Dilute	Flow cytometry: The reagent is designed for analysis of human blood cells using 20 $\mu$ l reagent / 100 $\mu$ l of whole blood or 106 cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests.
Application Notes	Flow cytometry: The reagent is designed for analysis of human blood cells using 20 $\mu$ l reagent / 100 $\mu$ l of whole blood or 106 cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests.