

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD11c FITC, Clone: [BU15], Monoclonal EXB-1F-529-T100

| | |
|----------------------------|---|
| Article Name | Anti-Hu CD11c FITC, Clone: [BU15], Monoclonal |
| Biozol Catalog Number | EXB-1F-529-T100 |
| Supplier Catalog Number | 1F-529-T100 |
| Alternative Catalog Number | EXB-1F-529-T100 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | FC |
| Species Reactivity | Human, Monkey |
| Immunogen | Dendritic cells of synovial fluid |
| Conjugation | FITC |
| Product Description | CD11c (p150, alphaX integrin subunit) forms complex with CD18 (beta2 integrin subunit) and is expressed mainly on tissue macrophages and dendritic cells. CD11c binds to complement fragment iC3b, fibrinogen, VCAM-1 and ICAM-2 or e.g. CD90. Like other ... |
| Clonality | Monoclonal |
| Clone Designation | [BU15] |
| Isotype | Mouse IgG1 |
| Buffer | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |

| | |
|--------------------|---|
| Storage | 2°C to 8°C |
| Target | CD11c |
| Antibody Type | Monoclonal Antibody |
| Application Dilute | Flow cytometry: The reagent is designed for analysis of human blood cells using 20 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests. |
| Application Notes | Flow cytometry: The reagent is designed for analysis of human blood cells using 20 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests. |