

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Perforin PE, Clone: [dG9], Monoclonal EXB-1P-765-T100

| | |
|----------------------------|---|
| Article Name | Anti-Perforin PE, Clone: [dG9], Monoclonal |
| Biozol Catalog Number | EXB-1P-765-T100 |
| Supplier Catalog Number | 1P-765-T100 |
| Alternative Catalog Number | EXB-1P-765-T100 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | FC |
| Species Reactivity | Bovine, Human |
| Immunogen | purified granules from human YT lymphoma cell line |
| Conjugation | PE |
| Product Description | Perforin is a 70 kDa cytolytic protein with structural and functional similarities to complement component 9 (C9). It is stored in cytoplasmic granules of cytotoxic T cells and NK cells and after its release it forms transmembrane pores in the target... |
| Clonality | Monoclonal |
| Clone Designation | [dG9] |
| Isotype | Mouse IgG2b kappa |
| Buffer | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |
| Storage | 2°C to 8°C |

| | |
|--------------------|--|
| Target | Perforin |
| Antibody Type | Monoclonal Antibody |
| Application Dilute | Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. |
| Application Notes | Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. Intracellular staining. |