

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Anti-Hu CD25 PerCP, Clone: [MEM-181], Monoclonal EXB-PC-218-T100

|                            |  |
|----------------------------|--|
| Article Name               | Anti-Hu CD25 PerCP, Clone: [MEM-181], Monoclonal   |
| Biozol Catalog Number      | EXB-PC-218-T100  |
| Supplier Catalog Number    | PC-218-T100  |
| Alternative Catalog Number | EXB-PC-218-T100  |
| Manufacturer               | EXBIO  |
| Category                   | Antikörper   |
| Application                | FC   |
| Species Reactivity         | Human  |
| Immunogen                  | PHA-activated peripheral blood leucocytes  |
| Conjugation                | PerCP  |
| Product Description        | CD25 (IL2Ralpha, Tac) is a ligand-binding alpha subunit of interleukin 2 receptor (IL2R). Together with beta and gamma subunit CD25 constitutes the high affinity IL2R, whereas CD25 alone serves as the low affinity IL2R. CD25 expression rapidly increas... |
| Clonality                  | Monoclonal   |
| Clone Designation          | [MEM-181]  |
| Isotype                    | Mouse IgG1   |
| Buffer                     | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide  |
| Storage                    | 2°C to 8°C   |

|                    |   |
|--------------------|---|
| Target             | CD25  |
| Antibody Type      | Monoclonal Antibody   |
| Application Dilute | Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. |
| Application Notes  | Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. |