

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## CD71 Rabbit Polyclonal Antibody, Unconjugated HBO-ER1706-35

Article Name  CD71 Rabbit Polyclonal Antibody, Unconjugated  Biozol Catalog Number  HBO-ER1706-35  Supplier Catalog Number  Alternative Catalog Number  HBO-ER1706-35  Manufacturer  HUABIO  Host  Rabbit  Category  Antikôrper  Application  IHC-P  Species Reactivity  Human  Immunogen  Recombinant protein within Human CD71 aa 463-750 / 760.  Conjugation  Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality  Polyclonal  Concentration  1 mg/mL.  Molecular Weight  Predicted band size: 85 kDa  Isotype		
Supplier Catalog Number  Alternative Catalog Number  HBO-ER1706-35  Manufacturer  HUABIO  Host  Rabbit  Category  Antikörper  Application  IHC-P  Species Reactivity  Human  Immunogen  Recombinant protein within Human CD71 aa 463-750 / 760.  Conjugation  Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality  Polyclonal  Concentration  1 mg/mL.  Molecular Weight	Article Name	CD71 Rabbit Polyclonal Antibody, Unconjugated
Alternative Catalog Number  HBO-ER1706-35  Manufacturer  HUABIO  Host  Rabbit  Category  Antikörper  Application  IHC-P  Species Reactivity  Human  Immunogen  Recombinant protein within Human CD71 aa 463-750 / 760.  Conjugation  Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality  Polyclonal  Concentration  1 mg/mL.  Molecular Weight  Predicted band size: 85 kDa	Biozol Catalog Number	HBO-ER1706-35
Manufacturer  HUABIO  Rabbit  Category  Antikörper  Application  IHC-P  Species Reactivity  Human  Immunogen  Recombinant protein within Human CD71 aa 463-750 / 760.  Conjugation  Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality  Polyclonal  Concentration  1 mg/mL.  Molecular Weight  Predicted band size: 85 kDa	Supplier Catalog Number	ER1706-35
Host Rabbit Category Antikörper  Application IHC-P Species Reactivity Human Immunogen Recombinant protein within Human CD71 aa 463-750 / 760.  Conjugation Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality Polyclonal Concentration 1 mg/mL.  Molecular Weight Predicted band size: 85 kDa	Alternative Catalog Number	HBO-ER1706-35
Category Antikörper  Application IHC-P  Species Reactivity Human  Immunogen Recombinant protein within Human CD71 aa 463-750 / 760.  Conjugation Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality Polyclonal  Concentration 1 mg/mL.  Molecular Weight Predicted band size: 85 kDa	Manufacturer	HUABIO
Application IHC-P  Species Reactivity Human  Immunogen Recombinant protein within Human CD71 aa 463-750 / 760.  Conjugation Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality Polyclonal  Concentration 1 mg/mL.  Molecular Weight Predicted band size: 85 kDa	Host	Rabbit
Species Reactivity  Immunogen  Recombinant protein within Human CD71 aa 463-750 / 760.  Conjugation  Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality  Polyclonal  Concentration  1 mg/mL.  Molecular Weight  Predicted band size: 85 kDa	Category	Antikörper
Immunogen       Recombinant protein within Human CD71 aa 463-750 / 760.         Conjugation       Unconjugated         CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t         Clonality       Polyclonal         Concentration       1 mg/mL.         Molecular Weight       Predicted band size: 85 kDa	Application	IHC-P
Conjugation  Unconjugated  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality  Polyclonal  Concentration  1 mg/mL.  Molecular Weight  Predicted band size: 85 kDa	Species Reactivity	Human
Product Description  CD71, also known as the transferrin receptor (TFR), is a type II membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality  Polyclonal  Concentration  1 mg/mL.  Molecular Weight  Predicted band size: 85 kDa	Immunogen	Recombinant protein within Human CD71 aa 463-750 / 760.
Product Description  membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin and a serum iron-transport protein, and directs t  Clonality  Polyclonal  Concentration  1 mg/mL.  Molecular Weight  Predicted band size: 85 kDa	Conjugation	Unconjugated
Concentration 1 mg/mL.  Molecular Weight Predicted band size: 85 kDa	Product Description	membrane glycoprotein that exists as a disulfide-linked homodimer of two identical subunits. CD71 binds to two molecules of transferrin
Molecular Weight Predicted band size: 85 kDa	Clonality	Polyclonal
	Concentration	1 mg/mL.
Isotype IgG	Molecular Weight	Predicted band size: 85 kDa
	Isotype	IgG

UniProt	P02786
Buffer	1*PBS (pH7.4), 0.2% BSA, 50% Glycerol. Preservative: 0.05% Sodium Azide.
Purity	Protein A affinity purified.
Form	Liquid
Target	TR, TfR, TfR1, Trfr, sTfR, TFRC
Antibody Type	Primary Antibody
Application Dilute	IHC-P: 1:1,000