

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

**Goat anti-Rat IgG (H&L), TRITC conjugated, Polyclonal  
AGR-AS10-1266**

Article Name	Goat anti-Rat IgG (H&L), TRITC conjugated, Polyclonal
Biozol Catalog Number	AGR-AS10-1266
Supplier Catalog Number	AS10-1266
Alternative Catalog Number	AGR-AS10-1266
Manufacturer	Agrisera
Host	Goat
Category	Antikörper
Conjugation	tritic
Product Description	Goat anti-rat IgG (H&L), Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated is a secondary antibody which binds to rat IgGs in immunological assays. TRITC has $A_{max} = 550 \text{ nm}$ , $E_{max} = 570 \text{ nm}$ . Antibodies are affinity purified using solid ...
Clonality	Polyclonal
Purity	Immunogen affinity purified IgG.
Form	Lyophilized
Antibody Type	Polyclonal Antibody
Application Dilute	The optimal working dilution should be determined by the investigator, Usually 1 : 100-1 : 500,
Application Notes	For reconstitution add 1,1 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Prepare fresh working dilutions daily