

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CEACAM1 antibody [8B6E2F4], IgG1, Unconjugated, Mouse, Monoclonal GTX02144

| Article Name | CEACAM1 antibody [8B6E2F4], IgG1, Unconjugated, Mouse, Monoclonal |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Biozol Catalog Number | GTX02144 |
| Supplier Catalog Number | GTX02144 |
| Alternative Catalog Number | GTX02144-100 |
| Manufacturer | GeneTex |
| Host | Mouse |
| Category | Antikörper |
| Application | FACS, IHC-P |
| Species Reactivity | Human |
| Immunogen | Recombinant Human CD66a protein |
| Conjugation | Unconjugated |
| Product Description | This gene encodes a member of the carcinoembryonic antigen (CEA) gene family, which belongs to the immunoglobulin superfamily. Two subgroups of the CEA family, the CEA cell adhesion molecules and the pregnancy-specific glycoproteins, are located with |
| Clonality | Monoclonal |
| Concentration | Batch dependent (Please refer to the vial label for the specific concentration.) |
| Clone Designation | [8B6E2F4] |

| Molecular Weight | 58 |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Isotype | lgG1 |
| Sensitivity | No cross-reactivity with human CEACAM5 protein and human CEACAM6 protein in ELISA assay. |
| NCBI | 634 |
| UniProt | P13688 |
| Buffer | 0.2μm-filtered PBS, no preservative. |
| Source | Human |
| Purity | Purified by Protein A |
| Form | Liquid |
| Application Notes | IHC-P: 1:50-1:200. FACS: 1:25-1:100. *Optimal dilutions/concentrations should be determined by the researcher.Not tested in other applications. |