

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit IgG anti-Dog IgG (F(ab)2)-unconj., MinX none, Polyclonal DNA-SEC-182822

| | |
|----------------------------|---|
| Article Name | Rabbit IgG anti-Dog IgG (F(ab)2)-unconj., MinX none, Polyclonal |
| Biozol Catalog Number | DNA-SEC-182822 |
| Supplier Catalog Number | SEC-182822 |
| Alternative Catalog Number | DNA-SEC-182822 |
| Manufacturer | dianova |
| Host | Rabbit |
| Category | Antikörper |
| Application | WB, IHC, ELISA |
| Species Reactivity | Canine |
| Immunogen | Dog IgG F(ab)2 fragment |
| Conjugation | Unconjugated |
| Product Description | Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglu... |
| Clonality | Polyclonal |
| Concentration | 5.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|--------------------|--|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single p |
| Formula | 20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,Azide/BSA free |
| Target | Dog |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | WB: 1:2,000 - 1:10,000 |
| Application Notes | Anti-Dog IgG F(ab)2 antibody is suitable for ELISA, western blot, and immunohistochemistry, as well as other assays requiring lot-to-lot consistency. |