

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Rabbit IgG anti-Goat IgG (F(ab)2)-FITC, MinX none, Polyclonal DNA-SEC-182848

| Article Name               | Rabbit IgG anti-Goat IgG (F(ab)2)-FITC, MinX none, Polyclonal   |
|----------------------------|---|
| Biozol Catalog Number      | DNA-SEC-182848  |
| Supplier Catalog Number    | SEC-182848  |
| Alternative Catalog Number | DNA-SEC-182848  |
| Manufacturer               | dianova   |
| Host                       | Rabbit  |
| Category                   | Antikörper  |
| Application                | FC, IF, FLISA   |
| Species Reactivity         | Goat  |
| Immunogen                  | Goat IgG F(ab)2 fragment  |
| Conjugation                | FITC  |
| Product Description        | Anti-Goat IgG F(ab)2 Fluorescein Antibody generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH. F(ab)2 molecules lack the |
| Clonality                  | Polyclonal  |
| Concentration              | 2.0 mg/mL   |
| Isotype                    | Ig  |
| Buffer                     | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |

| Purity             | This product was prepared from monospecific antiserum by<br>immunoaffinity chromatography using Goat IgG coupled to agarose<br>beads followed by solid phase adsorption(s) to remove any<br>unwanted reactivities. Assay by immunoelectrophoresis resulted in a<br>single |
|--------------------|---|
| Formula            | 10 mM NaPO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Thimerosal  |
| Target             | Goat  |
| Antibody Type      | Polyclonal Antibody   |
|                    |   |
| Application Dilute | FLISA 1:10,000 - 1:50,000, FC 1:500 - 1:2,500, IF Microscopy<br>1:1,000 - 1:5,000   |