

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Donkey IgG anti-Goat IgG (H+L)-HRPO, MinX none, Polyclonal DNA-SEC-182885

| | |
|----------------------------|---|
| Article Name | Donkey IgG anti-Goat IgG (H+L)-HRPO, MinX none, Polyclonal |
| Biozol Catalog Number | DNA-SEC-182885 |
| Supplier Catalog Number | SEC-182885 |
| Alternative Catalog Number | DNA-SEC-182885 |
| Manufacturer | dianova |
| Host | Donkey |
| Category | Antikörper |
| Application | ELISA |
| Species Reactivity | Goat |
| Immunogen | Anti-Goat IgG (H&L) was produced by repeated immunization with Goat IgG whole molecule in donkey. |
| Conjugation | HRP |
| Product Description | Anti-Goat IgG Peroxidase Antibody generated in donkey detects goat IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as wel... |
| Clonality | Polyclonal |
| Concentration | 2.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|--------------------|--|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Donkey Serum, Goat IgG and Go |
| Formula | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target | Goat |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | WB: 1:1,000 - 1:5,000 |
| Application Notes | Anti-Goat IgG (H&L) is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. It is also suitable in IHC. Specific conditions for reactivity and signal detection should be optimized by the e |