

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat Anti-Guinea Pig IgG (H&L) Antibody Biotin Conjugated - 606-1602, Polyclonal DNA-SEC-182914

Article Name	Goat Anti-Guinea Pig IgG (H&L) Antibody Biotin Conjugated - 606-1602, Polyclonal
Biozol Catalog Number	DNA-SEC-182914
Supplier Catalog Number	DNA-SEC-182914
Alternative Catalog Number	DNA-SEC-182914
Manufacturer	dianova
Host	Goat
Category	Antikörper
Application	ELISA
Species Reactivity	Guinea pig
Immunogen	Anti-Guinea Pig IgG (H&L) was produced by repeated immunization with guinea pig whole molecule in goat.
Conjugation	Biotin
Format	IgG
Target Specificity	IgG (H+L)
Cross-Adsorption (MinX)	no cross-adsorbtion
Product Description	Anti-Guinea Pig IgG Biotin Antibody generated in goat detects guinea pig IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, ...

Clonality	Polyclonal
Concentration	2.0 mg/mL
Isotype	Ig
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Purity	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Guinea Pig IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Goat Serum, Guinea Pig IgG and Guinea Pig Serum.
Form	Lyophilized
Formula	20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3
Target	Guinea Pig
Antibody Type	Secondary Antibody
Application Dilute	ELISA Dilution: 1:20,000 - 1:100,000, Fluorochrome Protein Value: 10-20, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, Western Blot Dilution: 1:2,000 - 1:10,000
Application Notes	Anti-Guinea Pig (H&L) biotin conjugated antibody generated in goat detects specifically guinea pig IgG (H&L). This secondary biotin conjugated antibody anti-Guinea Pig has been tested by ELISA and is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays. Antibody anti guinea pig biotin conjugated has been assayed against 1.0 ug of Guinea Pig IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin S000-03 and ABTS (2,2-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 of the reconstitution concentration is suggested for this product.