

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Donkey IgG anti-Human IgG (H+L)-Alk. Phos., MinX Bo,Ck,Go,Gp,Hm,Ho,Ms,Rb,Rt,Sh DNA-SEC-183106

| | |
|----------------------------|--|
| Article Name | Donkey IgG anti-Human IgG (H+L)-Alk. Phos., MinX Bo,Ck,Go,Gp,Hm,Ho,Ms,Rb,Rt,Sh |
| Biozol Catalog Number | DNA-SEC-183106 |
| Supplier Catalog Number | SEC-183106 |
| Alternative Catalog Number | DNA-SEC-183106 |
| Manufacturer | dianova |
| Host | Donkey |
| Category | Antikörper |
| Application | ELISA,IHC,WB |
| Species Reactivity | Human |
| Immunogen | Human IgG whole molecule |
| Conjugation | Alk. Phos. |
| Format | IgG |
| Target Specificity | IgG (H+L) |
| Cross-Adsorption (MinX) | Bovine,Gallus,Goat,Guinea pig,Hamster (all),Equine,Mouse,Rabbit,Rat,Sheep |
| Product Description | Anti-Human IgG (H&L) Alkaline Phosphatase generated in donkey detects human Immunoglobulin G (IgG), both heavy and light chains of the antibody molecule are present. It is a protein complex composed of four peptide chains - two identical heavy chains... |

| | |
|--------------------|--|
| Clonality | Polyclonal |
| Concentration | 1.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0 |
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Alkaline Phosphatase (calf intestine), anti-Donkey Serum, Human IgG and Human Serum. No reaction was observed against Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Mouse, Rabbit, Rat and Sheep Serum Proteins. |
| Form | Liquid (sterile filtered) |
| Formula | 50 mM TrisHCl,150 mM NaCl,1 mM MgCl ₂ ,0,1 mM ZnCl ₂ ,50% (v/v) Glycerol,pH 8,0,sterile filtered,0,01% NaN ₃ |
| Target | Human |
| Antibody Type | Secondary Antibody |
| Application Dilute | ELISA Dilution: 1:2,000 - 1:10,000, Immunohistochemistry Dilution: 1:200 - 1:1,000, Western Blot Dilution: 1:500 - 1:2,500 |
| Application Notes | Anti-Human IgG Alk Phos conjugate is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody-based enzymatic assays requiring lot-to-lot consistency. |