

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Ferret IgG+IgM+IgA (H+L)-unconj., MinX none DNA-SEC-183626

| | |
|----------------------------|---|
| Article Name | Goat IgG anti-Ferret IgG+IgM+IgA (H+L)-unconj., MinX none |
| Biozol Catalog Number | DNA-SEC-183626 |
| Supplier Catalog Number | SEC-183626 |
| Alternative Catalog Number | DNA-SEC-183626 |
| Manufacturer | dianova |
| Host | Goat |
| Category | Antikörper |
| Application | ELISA,IHC,WB |
| Species Reactivity | Ferret |
| Immunogen | Ferret IgG IgA and IgM whole molecules |
| Conjugation | Unconjugated |
| Format | IgG |
| Target Specificity | IgG+IgM+IgA (H+L) |
| Cross-Adsorption (MinX) | no cross-adsorbtion |
| Product Description | Anti-Ferret IgG IgA IgM Antibody generated in goat detects immunoglobulin G, A, and M from ferret. Immunoglobulin G binds to antigens and can neutralize or opsonize targets, and are predominantly involved in the secondary immune response. Immunoglobu... |
| Clonality | Polyclonal |

| | |
|--------------------|---|
| Concentration | 1.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.125 M Sodium Borate, 0.075 M Sodium Chloride, 0.005 M EDTA, pH 8.0 |
| Purity | This product was prepared from polyspecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum. This product is suitable for the detection of all Ferret immunoglobulin classes, isotypes and chain combinations. |
| Form | Liquid (sterile filtered) |
| Formula | 125 mM Sodium Borate, 75 mM NaCl, 5 mM EDTA, pH 8.0, sterile filtered, Azide/BSA free |
| Target | Ferret |
| Antibody Type | Secondary Antibody |
| Application Dilute | ELISA Dilution: 1:20,000 - 1:100,000, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, Western Blot Dilution: 1:2,000 - 1:10,000 |
| Application Notes | Anti-Ferret IgG IgA IgM antibody is suitable for ELISA, western blot, and immunohistochemistry, as well as other assays requiring lot-to-lot consistency. |