

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD81 / TAPA-1 (C81/2885R), 1mg/mL, Clone: [C81/2885R], Rabbit, Monoclonal BOT-BNUM2885-50**

Article Name	CD81 / TAPA-1 (C81/2885R), 1mg/mL, Clone: [C81/2885R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNUM2885-50
Supplier Catalog Number	BNUM2885-50
Alternative Catalog Number	BOT-BNUM2885-50-50UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	Exosome Staining, FC, IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	B-Cell line derived from a Burkitt lymphoma
Product Description	This antibody recognizes a protein of 26 kDa, identified as CD81 (Workshop VI, Code CD81.1). CD81 has a very broad cellular distribution, being expressed on T- and B-lymphocytes, NK cells, thymocytes, eosinophils, fibroblasts, epithelial and endothelial...
Clonality	Monoclonal
Concentration	1 mg/mL
Clone Designation	[C81/2885R]
Molecular Weight	26 kDa

UniProt	P60033
Buffer	PBS, no BSA, no azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 2-4 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA pH 9.0 for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user