

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD30 / TNFRSF8 (Hodgkin & Reed-Sternberg Cell Marker) Antibody, IgG1, Clone: [Ber-H2], Mouse, Monoclonal NBT-943-MSM2-CS0

Artikelname	CD30 / TNFRSF8 (Hodgkin & Reed-Sternberg Cell Marker) Antibody, IgG1, Clone: [Ber-H2], Mouse, Monoclonal
Artikelnummer	NBT-943-MSM2-CS0
Hersteller Artikelnummer	943-MSM2-CS0
Alternativnummer	NBT-943-MSM2-CS0-0.1,NBT-943-MSM2-CS0-0.5,NBT-943-MSM2-CS0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Co cell line established from a patient with Hodgkins disease of T-cell lineage
Produktbeschreibung	Recognizes a single chain glycoprotein of 105/120kDa, identified as CD30/Ki-1. Its epitope is located between aa112-412. CD30 is synthesized as a 90kDa precursor, which is processed in the Golgi complex into a membrane-bound phosphorylated mature 105...
Klonalität	Monoclonal
Klon-Bezeichnung	[Ber-H2]
Molekulargewicht	105-120kDa

Isotyp	IgG1
NCBI	943
UniProt	P28908
Formulierung	Tissue culture supernatant with 0.05% Azide. Contact us if you require it in a different format.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1:50-1:100 for 30 minutes at RT) (Staining of formalin-fixed tissues requires heating tissue sections in 1mM EDTA, pH 7.5-8.5, for 45 min at 95°C followed by cooling at RT for 20 minutes)Optimal dilution for a sp