

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Pmel17 / gp100 / SILV(NKI-beteb), CF405S conjugate, 0.1mg/mL, Clone: [NKI-beteb], Mouse, Monoclonal BOT-BNC040226-500**

Artikelname	Pmel17 / gp100 / SILV(NKI-beteb), CF405S conjugate, 0.1mg/mL, Clone: [NKI-beteb], Mouse, Monoclonal
Artikelnummer	BOT-BNC040226-500
Hersteller Artikelnummer	BNC040226-500
Alternativnummer	BOT-BNC040226-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA, FC, IF, IHC, IP
Spezies Reaktivität	Equine, Human
Immunogen	Membranes from a human melanoma metastasis
Konjugation	CF405S
Produktbeschreibung	By immunohistochemistry, this antibody specifically recognizes a protein in melanocytes and melanomas. It reacts with junctional and blue nevus cells and variably with fetal and neonatal melanocytes. Intradermal nevi, normal adult melanocytes, and no...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[NKI-beteb]

Molekulargewicht	90-100 kDa
UniProt	<a href="#">P40967</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Does not react with rat, others not tested Optimal dilution for a specific application should be determined by user