

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **GP2 (Glycoprotein 2) / ZAP75 (GP2/1712), CF405S conjugate, 0.1mg/mL, Clone: [GP2/1712], Mouse, Monoclonal BOT-BNC041712-500**

Artikelname	GP2 (Glycoprotein 2) / ZAP75 (GP2/1712), CF405S conjugate, 0.1mg/mL, Clone: [GP2/1712], Mouse, Monoclonal
Artikelnummer	BOT-BNC041712-500
Hersteller Artikelnummer	BNC041712-500
Alternativnummer	BOT-BNC041712-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant human GP2 protein fragment (aa35-179) (exact sequence is proprietary)
Konjugation	CF405S
Produktbeschreibung	GP2 (glycoprotein 2), also known as ZAP75, is a 537 amino acid secreted protein. It is an integral membrane protein that is secreted from intracellular zymogen granules and associates with the plasma membrane via glycosylphosphatidylinositol (GPI) li...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[GP2/1712]
Molekulargewicht	59 kDa
UniProt	<a href="#">P55259</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Tris, 1 mM EDTA pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user