

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

BAP1 (BRCA1 Associated Protein 1)(BAP1/2432), CF640R conjugate, 0.1mg/mL, Clone: [BAP1/2432], Mouse, Monoclonal BOT-BNC402432-500

| | |
|--------------------------|---|
| Artikelname | BAP1 (BRCA1 Associated Protein 1)(BAP1/2432), CF640R conjugate, 0.1mg/mL, Clone: [BAP1/2432], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC402432-500 |
| Hersteller Artikelnummer | BNC402432-500 |
| Alternativnummer | BOT-BNC402432-500-500UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human BAP1 protein fragment (around aa 191-326) (exact sequence is proprietary) |
| Konjugation | CF640R |
| Produktbeschreibung | The BRCA 1 Associated Protein 1 (BAP1) protein belongs to the ubiquitin C-terminal hydrolase subfamily of de-ubiquitination enzymes that are involved in the removal of ubiquitin from proteins. The encoded enzyme binds to the breast cancer type 1 susc... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |
| Klon-Bezeichnung | [BAP1/2432] |

| | |
|------------------------|--|
| Molekulargewicht | 91 kDa |
| UniProt | Q92560 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |