

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Plasma Cell Marker(LIV3G11, same as 7B18), CF647 conjugate, 0.1mg/mL, IgG2a, Clone: [LIV3G11 same as 7B18], Mouse, Monoclonal BOT-BNC470047-500**

Artikelname	Plasma Cell Marker(LIV3G11, same as 7B18), CF647 conjugate, 0.1mg/mL, IgG2a, Clone: [LIV3G11 same as 7B18], Mouse, Monoclonal
Artikelnummer	BOT-BNC470047-500
Hersteller Artikelnummer	BNC470047-500
Alternativnummer	BOT-BNC470047-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IF, IHC
Spezies Reaktivität	Human
Immunogen	Pancreatic cancer-related mucin
Konjugation	CF647
Produktbeschreibung	This antibody recognizes an intra-cytoplasmic antigen, which shows a very high degree of specificity for plasma cells. This antigen is present in normal as well as neoplastic plasma cells. Plasma cells, which are large lymphocytes derived from an ant...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[LIV3G11 same as 7B18]
Molekulargewicht	Not Known
Isotyp	IgG2a
UniProt	Not Known
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Does not react with rat, others not known Immunohistology formalin-fixed 0.1-0.2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user