

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Cytokeratin 17(E3), CF647 conjugate, 0.1mg/mL, Mouse BOT-BNC470158-500

Artikelname	Cytokeratin 17(E3), CF647 conjugate, 0.1mg/mL, Mouse
Artikelnummer	BOT-BNC470158-500
Hersteller Artikelnummer	BNC470158-500
Alternativnummer	BOT-BNC470158-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Bovine, Goat, Human, Porcine, Rat
Immunogen	The cytoskeletal fraction of rat colon epithelium
Konjugation	CF647
Produktbeschreibung	Cytokeratin 17 (CK17) is normally expressed in the basal cells of complex epithelia but not in stratified or simple epithelia. Antibody to CK17 is an excellent tool to distinguish myoepithelial cells from luminal epithelium of various glands such as ...
Konzentration	0.1 mg/mL
Molekulargewicht	46 kDa
UniProt	<a href="#">Q04695</a>
Puffer	PBS, 0.1% BSA, 0.05% azide

Quelle	Animal
Anwendungsbeschreibung	Immunohistology frozen & formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user