

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Desmocollin-2/3 (7G6), CF568 conjugate, 0.1mg/mL, Clone: [7G6], Mouse, Monoclonal BOT-BNC681430-100**

Artikelname	Desmocollin-2/3 (7G6), CF568 conjugate, 0.1mg/mL, Clone: [7G6], Mouse, Monoclonal
Artikelnummer	BOT-BNC681430-100
Hersteller Artikelnummer	BNC681430-100
Alternativnummer	BOT-BNC681430-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human, Mouse, Rat
Immunogen	Human desmocollin-2 extracellular domain (exact sequence is proprietary)
Konjugation	CF568
Produktbeschreibung	Desmosomes are intercellular adhering junctions that represent cell surface attachment sites for intermediate filament. The desmosome is subdivided into two regions. The plaque region lies adjacent to the plasma, and is believed to contain molecules ...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[7G6]
Molekulargewicht	110 kDa (DSC2), 100 kDa (DSC3)
UniProt	<a href="#">Q02487</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	<p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris, 1 mM EDTA pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user</p>