

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **TIMP3(Rabbit PAb), 0.2mg/mL, Clone: [PAb], Monoclonal BOT-BNUB0408-100**

Artikelname	TIMP3(Rabbit PAb), 0.2mg/mL, Clone: [PAb], Monoclonal
Artikelnummer	BOT-BNUB0408-100
Hersteller Artikelnummer	BNUB0408-100
Alternativnummer	BOT-BNUB0408-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Bovine, Canine, Equine, Human, Mouse, Rat
Immunogen	The amino acid sequence (aa175-211), used as the immunogen for TIMP3 Ab, is 100% homologous in human, cow, dog and horse, and 94% homologous in mouse and rat.
Produktbeschreibung	TIMP3 (tissue inhibitor of metalloproteinases 3), along with family members TIMP1, TIMP2, and TIMP4, are inhibitors of the matrix metalloproteinases (MMPs), a group of peptidases involved in degradation of the extracellular matrix (ECM). An imbalance...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[PAb]
Molekulargewicht	~30 kDa

UniProt	<a href="#">P35625</a>
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Optimal dilution for a specific application should be determined by user