

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD15 / FUT4 / Lewis x(MMA (Leu-M1)), 1mg/mL, Clone: [Leu-M1], Mouse, Monoclonal BOT-BNUM0277-50**

Artikelname	CD15 / FUT4 / Lewis x(MMA (Leu-M1)), 1mg/mL, Clone: [Leu-M1], Mouse, Monoclonal
Artikelnummer	BOT-BNUM0277-50
Hersteller Artikelnummer	BNUM0277-50
Alternativnummer	BOT-BNUM0277-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human
Immunogen	U937 histiocytic cell line
Produktbeschreibung	CD15 plays a role in mediating phagocytosis, bactericidal activity, and chemotaxis. It is present on >95% of granulocytes including neutrophils and eosinophils and to a lesser degree on monocytes. In addition, CD15 is expressed in Reed-Sternberg cell...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[Leu-M1]
Molekulargewicht	220 kDa

UniProt	<a href="#">P22083</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Immunofluorescence 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells Optimal dilution for a specific application should be determined by user