

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Human IL1 Receptor antagonist protein, His tag, Unconjugated GTX00108-PRO

Artikelname	Human IL1 Receptor antagonist protein, His tag, Unconjugated
Artikelnummer	GTX00108-PRO
Hersteller Artikelnummer	GTX00108-pro
Alternativnummer	GTX00108-PRO-10
Hersteller	GeneTex
Kategorie	Proteine/Peptide
Applikation	FA
Spezies Reaktivität	Human
Konjugation	Unconjugated
NCBI	<a href="#">3557</a>
UniProt	<a href="#">P18510</a>
Puffer	Reconstitute with 20mM Tris and 150mM NaCl to 0.1-1.0mg/ml. Do not vortex. Lyophilized from 20mM Tris, 150mM NaCl, 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose, ProClin 300.
Expression System	E. coli
Formulierung	Lyophilized powder
Sequenz	N-terminal His-Tag, Arg26~Glu177 (NP_000568.1)

Anwendungsbeschreibung

IL1RA (interleukin-1 receptor antagonist) is an agent that binds to the cell surface interleukin-1 receptor (IL-1R), which would prevent IL-1 from intracellular signal transduction. Thus, a binding ELISA assay was constructed to detect the association of recombinant human IL1RA with recombinant human IL1R1. Briefly, IL1RA were diluted serially in PBS with 0.1% BSA (pH 7.4). Duplicate samples of 100  $\mu$ l were then transferred to IL1R1-coated microtiter wells and incubated for 2h at 37C. Wells were washed with PBST and incubated for 1h with anti-IL1RA pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37C. Finally, add 50  $\mu$ l stop solution to the wells and read at 450nm immediately. The binding activity of IL1RA with IL1R1 was in a dose dependent manner.