

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Smooth Muscle Actin Antibody, Clone: [SPM332], Mouse, Monoclonal NSJ-V9076IHC-7ML

Artikelname	Smooth Muscle Actin Antibody, Clone: [SPM332], Mouse, Monoclonal
Artikelnummer	NSJ-V9076IHC-7ML
Hersteller Artikelnummer	V9076IHC-7ML
Alternativnummer	NSJ-V9076IHC-7ML
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human
Immunogen	A 10 amino acid peptide from the alpha smooth muscle isoform of actin was used as the immunogen for this Smooth Muscle Actin antibody.
Produktbeschreibung	Actin is a major component of the cytoskeleton and is present in most cell types. This mAb is highly specific to actin from smooth muscles. Its epitope lies in the first four N-terminal amino acids. This mAb does not stain cardiac or skeletal muscle,...
Klonalität	Monoclonal
Klon-Bezeichnung	[SPM332]
UniProt	P62736
Reinheit	Protein G affinity chromatography

Formulierung	Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*
Antibody Type	Primary Antibody
Application Verdünnung	The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.
Anwendungsbeschreibung	The optimal dilution of the Smooth Muscle Actin antibody for each application should be determined by the researcher. 1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 minutes. 2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.