

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Thomsen-Friedenreich Antigen / CD176 (Pan Carcinoma Marker) Antibody, IgM, Clone: [A84-A/F10], Mouse, Monoclonal NBT-MSM4-1294-P0**

Article Name	Thomsen-Friedenreich Antigen / CD176 (Pan Carcinoma Marker) Antibody, IgM, Clone: [A84-A/F10], Mouse, Monoclonal
Biozol Catalog Number	NBT-MSM4-1294-P0
Supplier Catalog Number	MSM4-1294-P0
Alternative Catalog Number	NBT-MSM4-1294-P0-20,NBT-MSM4-1294-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	Neuraminidase-treated human red blood cells
Product Description	Recognizes a disaccharide epitope, Gal 1-3GalNAc, of Thomsen-Friedenreich (TF) antigen. It is specific for both anomeric forms of the disaccharide (TF and TF <sup>1</sup> , including related structures on the glycolipid) and shows no cross-reactivity with sialyl...
Clonality	Monoclonal
Clone Designation	[A84-A/F10]
Molecular Weight	Multiple
Isotype	IgM

NCBI	Not Applicable
Form	200ug/ml of Ab Purified from Bioreactor Concentrate. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at 37C)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution