

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD81 / TAPA-1 (C81/2885R), CF405S conjugate, 0.1mg/mL, Clone: [C81/2885R], Rabbit, Monoclonal BOT-BNC042885-500**

Article Name	CD81 / TAPA-1 (C81/2885R), CF405S conjugate, 0.1mg/mL, Clone: [C81/2885R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNC042885-500
Supplier Catalog Number	BNC042885-500
Alternative Catalog Number	BOT-BNC042885-500-500UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	Exosome Staining, FC, IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	B-Cell line derived from a Burkitt lymphoma
Conjugation	CF405S
Product Description	This antibody recognizes a protein of 26 kDa, identified as CD81 (Workshop VI, Code CD81.1). CD81 has a very broad cellular distribution, being expressed on T- and B-lymphocytes, NK cells, thymocytes, eosinophils, fibroblasts, epithelial and endothel...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[C81/2885R]

Molecular Weight	26 kDa
UniProt	<a href="#">P60033</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 2-4 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA pH 9.0 for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user