

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD62L (L-Selectin)(CD62L/1588), 0.2mg/mL, Clone: [CD62L/1588], Mouse, Monoclonal BOT-BNUB1588-100**

Article Name	CD62L (L-Selectin)(CD62L/1588), 0.2mg/mL, Clone: [CD62L/1588], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB1588-100
Supplier Catalog Number	BNUB1588-100
Alternative Catalog Number	BOT-BNUB1588-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Species Reactivity	Human
Immunogen	MAB raised against supernatant from phorbol myristic acid activated human peripheral blood leukocytes.
Product Description	Selectins, also designated CD62 antigens, comprise a family of carbohydrate-binding proteins involved in mediating cellular interactions with leukocytes. L-Selectin (also designated LECAM-1 or CD62L) is expressed on the majority of B and naive T cell...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[CD62L/1588]
Molecular Weight	65-75 kDa
UniProt	<a href="#">P14151</a>

Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry