

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Goat IgG anti-Bovine IgG (H+L)-unconj., MinX none, Polyclonal DNA-SEC-182477

Article Name	Goat IgG anti-Bovine IgG (H+L)-unconj., MinX none, Polyclonal
Biozol Catalog Number	DNA-SEC-182477
Supplier Catalog Number	SEC-182477
Alternative Catalog Number	DNA-SEC-182477
Manufacturer	dianova
Host	Goat
Category	Antikörper
Application	DOT
Species Reactivity	Bovine
Immunogen	Bovine IgG whole molecule
Conjugation	Unconjugated
Product Description	Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglu
Clonality	Polyclonal
Concentration	10.0 mg/mL
Isotype	Ig
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Purity	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by
Formula	20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3
Target	Bovine
Antibody Type	Polyclonal Antibody
Application Dilute	WB: 1:2,000 - 1:10,000
Application Notes	Anti-Bovine IgG Secondary Antibodies have been tested by SDS-Page and dot blot and are designed for Western Blotting, ELISA and Immunohistochemistry. Secondary antibodies can also be used for a variety of other applications such as Assay Development, Flo